

Photo credits: Models: Bri Whitman Photography, Projects: Rick Stephens



Present

Fun & Flirty Halloween!

Lady Luck

Supplies:

Red Fabric for top upper bodice, ½ yard
 Poker Cards print fabric for top midriff, ½ yard
 Black satin for skirt, 1 ½ yards
 White tulle netting for underskirt, 10 yards
 White broadcloth for underskirt, ½ yard
 ¾" non-roll elastic, 2 yards
 VELCRO® Fabric Fusion hook and loop fastener, 5/8 yard white
 VELCRO® brand Soft and Flexible Sew On hook and loop fastener, 1 package black
 Pack of poker playing cards
 Assorted poker playing chips, dice
 Plastic Headband, 1 ½" wide
 Plastic lid for headpiece base
 1 sheet white fun foam
 VELCRO® brand mask kit-base, or craft store mask base
 VELCRO® brand hook and loop fasteners, Sticky Back™ squares, white
 Satin ribbon ¾" wide, 1 yard black
 Sequins by the yard, 1 yard gold, ¼ yard silver
 Glitter in White, Black and Red
 Craft glue

Lady Luck Top

Cutting:

- Cut upper bodice piece from solid red fabric. Cut lower bodice pieces from poker card print fabric.

Construction: Follow basic top instructions, apply VELCRO® Fabric Fusion hook and loop fastener to back for closure.

Lady Luck Skirt & Underskirt

Cutting:

- Cut skirt from black satin fabric. Cut white tulle and white cotton for underskirt.

Construction:

Follow basic skirt instructions, and underskirt instructions. After completing skirt apply VELCRO® brand Soft and Flexible Sew On hook and loop fastener to back for closure, then:

- Hand-stitch playing cards on corners at hem of skirt, alternating black and red. Continue until lower edge of skirt is lined with playing cards.

Lady Luck Bib Necklace

- Glue Royal Flush of cards together in fan shape. Glue this "hand" of cards to fun foam. Arrange poker chips and dice in desired format, glue in place. After drying, trim foam following edge of design.
- Cut 2 pieces of ribbon 18". Glue one end of each piece of ribbon to back of foam base. Stitch 1/2" piece of VELCRO® brand Soft and Flexible Sew On hook and loop fastener to each end of ribbon to fasten.



Present

Fun & Flirty Halloween!

Basic Top

Supplies:

Fabric for top, 1 yard lightweight cotton, sateen, satin
 1 package $\frac{3}{4}$ " non-roll elastic
 VELCRO® brand hook and loop fastener
 Matching all purpose thread

Pattern:

Choose size then print the PDF pattern for the Basic Top and cut out pattern pieces.

Cutting:

- Cut 1-upper bodice on fold, Cut 4-lower side bodice, Cut 1-lower center front bodice on fold, Cut 2-lower center back bodice.

Construction:

- Starting with lower center front bodice piece, attach the lower side bodices matching notches, stitch $\frac{1}{2}$ " seam. Attach a lower side bodice to each of the lower center back pieces, matching notches and stitch $\frac{1}{2}$ " seam. Connect lower bodice front to lower bodice sides, matching notches and stitch $\frac{1}{2}$ " seam.
- On upper bodice piece, baste between notches on front to gather for under bust. Match upper bodice to lower bodice piece, matching notches, stitch $\frac{1}{2}$ " seam
- Double fold hem lower edge of top $\frac{1}{2}$ ". Press then stitch hem to secure.
- Double fold hem center back edges $\frac{1}{2}$ ". Press then stitch to secure.
- Fold upper bodice edge $\frac{1}{2}$ ", then 1" creating casing. Stitch close to casing edge.
- Insert elastic through ends of casing. Stitch through one end of elastic to secure, then fit top. Adjust length of elastic then stitch through remaining end to secure. Trim elastic ends so they do not show!
- To close center back of top, apply VELCRO® brand hook and loop fastener following instructions on packaging. We used the fusible Fabric Fusion™ variety on most fabrics, and sew-on Soft and Flexible™ on the fabrics that could not have heat applied. *Tip: Round edges of ends of VELCRO® brand hook and loop fastener before applying to top to keep sharp edges at bay!!*





Photo credit: Rick Stephens





Photo credit: Rick Stephens



Present

Fun & Flirty Halloween!

Basic Circle Skirt

Waist Radius:

Size XS-24" waist—3 $\frac{3}{4}$ " from point
 Size S-26" waist—4 $\frac{1}{8}$ " from point
 Size M-28" waist—4 $\frac{1}{2}$ " from point
 Size L-30" waist—4 $\frac{3}{4}$ " from point
 Size XL-32" waist—5 $\frac{1}{8}$ " from point

Supplies:

Fabric for skirt, approximately 1 $\frac{1}{2}$ yards.
 Bias tape in color to match skirt fabric
 VELCRO® brand hook and loop fastener
 Matching all purpose thread

Drafting skirt pattern:

Note: You will need a surface you can pin into to create the circle skirt pattern!

- Mark measurement for waist radius per size (see above) on an old measuring tape. At this mark make a small hole in the tape measure (you can use an awl or large needle).
- Fold wrapping paper or other large size paper in fourths making sure the edges are square. You will be drawing $\frac{1}{4}$ of the circle...when the paper is unfolded you will have the full circle. J
- Place thumbtack in measure tape at 0 in and align it with the very tip of the folded point of the paper. Hold in place.
- With the other hand, place a pencil in the hole of the tape measure at your radius measurement.
- Keeping the measuring tape taught, rotate the pencil to create an arc from one edge of the paper to the other. This is the waist of the skirt.
- Once the waist is drawn, measure down the desired length of the finished skirt (ours were about 18"), draw another arc. This is the finished length of the skirt.
- Add $\frac{1}{2}$ " to above waist line marking, and 1" below finished length mark for seam and hem allowances.

Cutting:

- Open skirt pattern and cut one skirt single layer from skirt fabric.
- Draw a straight line from waist to hem (it does not matter where), then cut skirt open along this marking.




Photo credit: Rick Stephens



Present

Fun & Flirty Halloween!

Basic Circle Skirt Page 2

(Continued)

Construction:

- Right sides together, match skirt seam. Stitch $\frac{1}{2}$ " seam from hem to waist, stopping 6" from waist.
- At waistline, pin bias tape along raw edge, right sides together. Stitch at $\frac{1}{4}$ " away from raw edge to secure to waist.
- Press bias tape to wrong side of skirt at waist. Stitch $\frac{3}{8}$ " from waistline edge, securing bias.
- Fold opening seam allowances to wrong side, along $\frac{1}{2}$ " seam line. Stitch $\frac{3}{8}$ " from edges to secure in place.
- For skirt closure, cut 2" pieces of VELCRO® brand hook and loop fastener. Apply VELCRO® brand hook and loop fastener following instructions on packaging. Press or sew the loop piece on the wrong side of the left side of back opening, vertically along edge. Press or sew the hook piece on the right side of the right side of back opening, horizontally along waistline edge. We used the fusible Fabric Fusion™ variety on most fabrics, and sew-on Soft and Flexible™ on the fabrics that could not have heat applied.





Photo credit: Rick Stephens



Present

Fun & Flirty Halloween!

Basic Tulle Underskirt

Supplies:

10 yards of tulle netting
 3/8 yard of 45" solid broadcloth for waistband
 1 yard of 3/4" non-roll elastic
 Pearl cotton or heavy topstitch thread (for stitching over to gather)

Cutting:

Leave tulle folded, so that you have 4 layers, approximately 15" wide. Trim broadcloth to 10" x 45".

Construction:


- Set sewing machine for a wide zig-zag stitch. On folded long edge of tulle, stitch over pearl cotton or topstitch thread, creating a "tunnel" for the heavy thread to move through. Position thread so that it is approximately 1/2" away from the fold. Be sure to leave a tail of thread at the start, attach heavy thread along the entire length of the 10 yards of tulle. Be sure not to catch the heavy thread in the zig-zag stitch....it needs to move freely so you can gather the tulle.
- Pull up on the heavy thread, gathering the tulle to fit the width of the long edge of the broadcloth piece. Pin gathered tulle in place, along the long edge of broadcloth piece, about 1" from the raw edge. Stitch in place to secure.
- Right sides together, match sides of tulle skirt, stitch 1/2" seam, press open.
- On skirt upper edge, finish raw edge with zig-zag or serger. Turn under 1" for casing, press in place then stitch close to finished edge, leaving opening for elastic.
- Measure elastic to waist. Insert elastic, adjust, then overlap ends and stitch to secure. Stitch to close opening.





Find us on
Facebook

Visit us at

Velcro® brand fasteners and DIYStyle®










The diagram shows a pattern piece for a bodice. It features a central vertical line, likely a fold line. On the left side, there are two horizontal dashed lines, with the text 'Fold for casing' positioned between them. On the right side, there are two horizontal dashed lines. The bottom edge of the pattern is curved. A small detail at the bottom right shows a curved line with a dashed line and a small arc, possibly indicating a seam or a specific construction point.


Fold for casing


2


DIYStyle® - Velcro®
Costume Outfit Woven
Two Piece Outfit - Top
Uper bodice piece

Cut 1 on fold from self










ing


DIYStyle® - Velcro®
Costume Outfit Woven
Two Piece Outfit - Top
Upper bodice piece


Cut 1 on fold from self


SS

Size S











DIYStyle® - Velcro®
Costume Outfit Woven
Two Piece Outfit - Top
Upper bodice piece

Cut 1 on fold from self

SS


Size M







Cut On Fold

Gather









DIYStyle® - Velcro®
Costume Outfit Woven
Two Piece Outfit - Top
Upper bodice piece


Cut 1 on fold from self


SS


Size L












Fold for casing

DIYStyle® - Velcro®
Costume Outfit Woven
Two Piece Outfit - Top
Upper bodice piece

Cut 1 on fold from self

SS

Size XL








Photo credits: Models: Bri Whitman Photography, Projects: Rick Stephens



Present

Fun & Flirty Halloween!

Lady Luck Page 2

(Continued)

Lady Luck Mask

- Trace Lady Luck mask pattern on white fun foam then cut out.
- Glue strips of sequins on diagonal across mask. Glitter each section between diagonals.
- Attach silver sequins along outside lower left and upper right edges. Edge mask with sequins to finish.
- Apply VELCRO® brand hook and loop fastener, Sticky Back™ squares, hook side to back of foam mask. Attach to VELCRO® mask base, or craft store mask base.

Lady Luck Headpiece

- Trace shape of headband on fun foam, cut out. Glue to headband, set aside to dry.
- Cut 3" diameter circle from plastic lid. Cover with slightly larger piece of fun foam, glue in place. Glue cards in fan circle to completely cover foam base.
- Glue small stacks of poker chips together. After stacks dry, glue on top of cards.
- Apply VELCRO® brand hook and loop fastener, Sticky Back™ squares, to headband and back of cards "hat", placing hook side on headband and loop side on back side of cards piece. Secure to headband, positioning so that cards piece is slightly off center of headband.



Find us on
Facebook

Visit us at

Velcro® brand fasteners and DIYStyle®

Fun & Flirty Halloween!

Lady Luck :: Mask Pattern

Cut 1

